

# DOWNTOWN URBAN VILLAGE FOR SALE



# 1126 -1130 N. Forest St.

\$1,200,000.00

Existing 4,449 SF Medical Office

13.746 SF Lot

14 On-site Parking Spaces

**Zoned: Downtown District Urban** 

## Bellingham, 98225





#### Contact

Amia Froese amia@saratogacom.com 360.676.4866




# FOR SALE

# 1126 -1130 N. Forest St.

#### **PROPERTY FACT SHEET**

Address:	1126-1130 N. Forest St
Site:	13,746 SF
Zoning:	Urban Village RT-1
Building:	Concrete Block
Year Built:	1958
Building Size:	4,449 SF
Class:	В
Parking:	14 Spaces Onsite
Signage:	Monument
Communications:	Cable
Traffic Counts:	9,100/day
Sprinkler System:	No




#### Contact

**Amia Froese** 

360.676.4866

amia@saratogacom.com



# SEHOME NEIGHBORHOOD ZONING

#### AREA ZONING DESIGNATION

- Residential Multi, Multiple
- 2 Residential Multi, Multiple
- Public, Park
- Res. Multi, Multiple/Planned
- Public, Park
- 9 Residential Multi, Mixed/ Multiple/Planned
- 10 Public, Open Space/Park/Utilities
- 11 Residential Single
- 12 Residential Multi, Multiple
- 13 Public, Govt. Srvcs.
- 14 Residential Single
- 15 Samish Way Urban Village
- 16 Downtown District Urban Village



290 580 870 1,160 Fee

The City of Bellingham has compiled this information for its own use and is not responsible for any use of this information by others. The information found herein is provided simply as a courtesy to the public and is not intended for any third party use in any official, professional or other authoritative capacity. Persons using this information do so at their own risk and by such use agree to defend, indemnify and hold harmless the City of Bellingham as to any claims, damages, liability, losses or suits arising out of such use.

#### **Article VI. Downtown District Urban Village**

#### 20.37.500 Downtown district urban village - Applicability.

- A. Regulations specified within this article shall apply to the use of land within the downtown district.
- B. Should the provisions of this article conflict with any other provision of the Bellingham Municipal Code, except the critical areas ordinance, shoreline master program, stormwater regulations or Chapter 20.28 BMC, Infill Housing, the provisions of this article shall apply.

#### C. Amendments.

- 1. The following amendments shall follow the annual comprehensive plan amendment process outlined in Chapter 20.20 BMC:
  - a. Any change within a land use area from one land use classification to another (i.e., residential transition to commercial core).
  - b. Any boundary change between unlike land use classifications (i.e., between residential transition and commercial core).
  - c. Creation of a new land use area with a new land use classification.
- 2. The following amendments shall be considered through the rezone procedure in Chapter 20.19 BMC:
  - a. Changes in the boundaries between like land use areas such as between two residential transition areas.
  - b. Changes in the zoning of an "area" or portion thereof that do not involve a change of land use classification.
  - c. Changes in permitted uses and/or density rules shall be considered a rezone, regardless of the land use area in which they appear.
- 3. All other amendments to this article shall be considered through the development regulation amendment procedure in Chapter 20.22 BMC. [Ord. 2014-09-049 § 52 (Exh. F)].

# 20.37.510 Downtown district urban village – Establishment of boundaries and land use areas.

A. The boundaries of the downtown district and associated land use areas are hereby delineated as shown in Figure 20.37.510.

- B. The downtown district is divided into various residential, commercial, and industrial land use areas. The purpose of these areas is to establish goals, policies, zoning and development regulations that require development to respond to the desired intensity, physical and aesthetic characteristics, and neighborhood scale in each area. These areas are intended to ensure development is appropriately scaled and designed, and to encourage uses that are compatible with each other and the surrounding neighborhoods. Emphasis in this area is on the pedestrian environment, the preservation of historic buildings, and the compatibility of new development.
  - 1. *Commercial Core (CC).* The commercial core area is intended to be the most densely developed area within the downtown district with the highest concentration of employment, services, entertainment and housing. The wide range of supportive land uses including retail, office, recreation, public facilities, parks and open space are supported by well-developed transit and pedestrian facilities.
  - 2. *Commercial Transition (CT).* The commercial transition areas are intended to allow commercial uses similar to the commercial core, but building height limits are reduced to provide a stepped transition to adjacent residential areas. Design standards in Chapter 20.25 BMC incorporate massing and aesthetic design measures to further reinforce the transition to residential uses.
  - 3. Residential Transition (RT). Residential transition areas are generally located between commercial and residential multi zoned areas. A mix of housing types is encouraged to support the abutting commercial areas and provide housing choices for people of various incomes, ages and household types. Limited nonresidential uses are permitted in addition to residential uses. These uses provide focused small-scale services for residents, create a smooth transition from commercial to residentially zoned areas, and incentivize preservation of historic building stock.
  - 4. *Industrial Transition (IT).* The industrial transition area is intended to accommodate a compatible range of industrial, commercial and residential uses to create a dynamic and eclectic setting that fosters business incubation. Industrial activities are limited to those which do not create excessive noise, smoke, odors or other objectionable nuisances to surrounding uses. Permitted residential uses are intended to be within mixed use buildings, and located above the first floor.

Figure 20.37.510 -




Figure 20.37.510 - Downtown District Urban Village Boundaries, Land Use Areas & Exempt Parking District

[Ord. 2014-09-049 § 52 (Exh. F)].

#### 20.37.520 Downtown district urban village – Uses.

- A. Uses are established in Table 20.37.520, below. Land use classifications are listed on the horizontal axis. Downtown district land use areas are shown on the vertical axis.
  - 1. If the symbol "P" appears in the box at the intersection of the column and row, the use is permitted subject to general requirements for the use and the use area.
  - 2. If the symbol "C" appears in the box at the intersection of the column and the row, the use is permitted subject to the conditional use provisions specified in Chapter 20.16 BMC, and to general requirements for the use and the use area.
  - 3. If the symbol "N" appears in the box at the intersection of the column and the row, the use is not allowed in that area, except for certain short-term uses (see BMC 20.10.040, Temporary uses).
  - 4. If a (number) appears in the box at the intersection of the column and the row, the use may be permitted in the use area subject to the special limitations indicated in the corresponding "Note" at the end of the table.
  - 5. *Use Determination.* In the case of a question as to the inclusion or exclusion of a particular proposed use in a particular use category, the planning and community development director shall have the authority to make the final determination. The director shall make the determination according to the characteristics of the operation of the proposed use as they relate to similar allowed uses within the use area, and the intent of the downtown district subarea plan.

#### Table 20.37.520 - Permitted Uses

P = Permitted C = Conditional Use N = Not allowed (#) = See Notes

When multiple symbols and notes appear in a box such as P(2) or (4), C, they are interpreted as (P)

Permitted (2) when located in a main building(s) on a site existing as of September 23, 2014 OR (4) on corner lots; (C) conditional elsewhere.

	AREA				
LAND USE CLASSIFICATION	CC (1) CT (1)	RT-1	RT-2	ΙΤ	
A. Residential					
1. Attached Accessory Dwelling Unit per BMC 20.10.036	Р	Р	Р	N	
2. Detached Accessory Dwelling Unit per BMC 20.10.036	Р	Р	Р	N	
3. Short-Term Rentals, per BMC 20.10.037	Р	Р	P(2)	N	
4. Boarding and Rooming Houses	Р	Р	С	P(3)	

#### Table 20.37.520 - Permitted Uses

#### P = Permitted C = Conditional Use N = Not allowed (#) = See Notes

	AREA			
LAND USE CLASSIFICATION	CC (1) CT (1)	RT-1	RT-2	IT
5. Co-housing Developments, per BMC 20.10.048	Р	Р	Р	P(3)
6. Confidential Shelters, per BMC <u>20.10.047</u>	Р	Р	Р	N
7. Hotel, Motel, and Hostel	Р	N	N	Р
8. Infill Housing, per Chapter 20.28 BMC	Р	Р	Р	N
9. Manufactured Home Park	N	N	N	N
10. Multifamily	Р	Р	Р	P(3)
11. Single-Family, Detached Dwelling Unit with less than 5,500 square feet of total floor area	Р	Р	Р	N
12. Single-Family Residence with 5,500 square feet or more total floor area, subject to BMC 20.16.020(L)(3)	Р	С	С	N
B. Commercial				
1. Adult Entertainment	N	N	N	N
2. Commercial Recreation	Р	N	N	Р
3. Crematory	N	N	N	С
4. Day Care	Р	С	С	N
5. Day Treatment Center	Р	С	С	С
6. Drinking Establishment	Р	N	N	Р
7. Drive-Up Facilities such as bank tellers, food and beverage services, laundry pick up, and car washes	N	N	N	Р

#### Table 20.37.520 - Permitted Uses

#### P = Permitted C = Conditional Use N = Not allowed (#) = See Notes

		А	REA	
LAND USE CLASSIFICATION	CC (1) CT (1)	RT-1	RT-2	ΙΤ
8. Eating Establishment, including sale and on-premises consumption of alcoholic beverages as an accessory use	Р	Р	P(2) or (4), C	Р
9. Food Membership Distribution, including Community Supported Agriculture (CSAs) and Food Buying Clubs	Р	N	N	Р
10. Live/Work Unit	P(5)	P(5)	P(5)	P(5)
11. Motor Vehicles Sales, limited to automobiles, motorcycles, scooters and recreational vehicles	P(6)	N	Z	Р
12. Offices	Р	Р	Р	Р
13. Repair of small equipment and items such as appliances, electronics, clocks, furniture, hand tools, and watches	Р	N	Z	Р
14. Retail Sales, except as restricted in subsection (B)(11) above	Р	P(4)	P(4)	Р
15. Services, Personal	Р	Р	P(2) or (4)	Р
16. Service Station and Gas Station	N	N	N	Р
C. Health Care				
1. Doctor, Dentist, Medical, and Therapy Office and/or Laboratory	Р	Р	Р	Р
2. Medical Care Facility	Р	С	С	N
3. Service Care	Р	С	С	N
4. Veterinary Service, Animal Hospital and Small Animal Care Shop	P(6)	N	N	P(6)
D. Public and Semi-Public Assembly				

Table 20.37.520 - Permitted Uses

#### P = Permitted C = Conditional Use N = Not allowed (#) = See Notes

		AREA		
LAND USE CLASSIFICATION	CC (1) CT (1)	RT-1	RT-2	IT
1. Interpretive Center, Library, and Museum	Р	N	N	N
2. Art Gallery, Art School, and Commercial Art Studio	Р	Р	P(2)	N
3. Auditorium, Stadium, and Theater	Р	N	N	Р
4. Church and House of Worship	Р	С	С	С
5. Community Center	Р	С	С	N
6. Convention Center	Р	N	N	Р
7. Institution of Higher Education and School	Р	С	С	Р
8. Neighborhood Club/Activity Center	Р	С	С	Р
9. Park, Trail, and Playground	Р	Р	Р	Р
10. Passenger Terminal	Р	N	N	Р
11. Private Club and Lodge	Р	С	С	Р
. Industrial				
Automobile Services for the washing,     lubrication, and minor repair of automotive     vehicles	N	N	N	Р
2. Automobile Wrecking	N	N	N	N
3. Commercial Electric Power Generation, per BMC 20.36.030(C)	N	N	N	Р
4. Construction and storage yards	N	N	N	Р
5. Hazardous Waste Treatment and Storage Facility	N	N	N	N
6. Manufacturing and Assembly except as allowed in subsection (E)(7) below	P(6)(7)(8)	N	N	P(7)

#### Table 20.37.520 - Permitted Uses

#### P = Permitted C = Conditional Use N = Not allowed (#) = See Notes

		AREA			
LAND USE CLASSIFICATION	CC (1) CT (1)	RT-1	RT-2	IT	
7. Manufacture, bottling, and distribution of beverages, including breweries, distilleries, and wineries	P(8)	N	N	Р	
8. Mini Storage Facility	P(6)(9)	N	N	Р	
9. Monument and Stone Works	N	N	N	P(7)	
10. Repair of large equipment such as vessels, vehicles, and floor-based tools	N	N	N	Р	
11. Warehousing, Wholesaling, and Freight Operation	N	N	N	P(10)	
F. Miscellaneous Uses					
1. Adaptive Use for Historic Register Buildings, per BMC <u>17.90.080</u> and <u>20.16.020(A)(1)</u>	С	С	С	С	
2. Community Gardens	Р	Р	Р	Р	
3. Community Public Facilities, per BMC 20.16.020(J)(4)	Р	C(11)	C(11)	Р	
4. Jail and Correctional Facilities, provided the location is limited to those properties bound by Prospect and Flora Streets, Grand Avenue, and Whatcom Creek	Р	N	N	N	
5. Parking Facility (Nonretail)	Р	C(12)	C(12)	Р	
6. Parking Facility (Retail)	Р	N(12)	N(12)	Р	
7. Public Utilities on private property	P(13)	С	С	Р	
8. Public Utilities when located within a public right-of-way	Р	Р	Р	Р	
9. Recreational Vehicle Park	N	N	N	N	

#### Table 20.37.520 - Permitted Uses

P = Permitted C = Conditional Use N = Not allowed (#) = See Notes

When multiple symbols and notes appear in a box such as P(2) or (4), C, they are interpreted as (P) Permitted (2) when located in a main building(s) on a site existing as of September 23, 2014 OR (4) on corner lots; (C) conditional elsewhere.

	AREA				
LAND USE CLASSIFICATION	CC (1) CT (1)	RT-1	RT-2	IT	
10. Recycling and Refuse Collection Center	С	N	N	Р	
11. Wireless Communications Facility, per Chapter <u>20.13</u> BMC	P, C	P, C	P, C	P, C	
12. Certain temporary homeless shelters, per Chapter <u>20.15</u> BMC	Р	Р	Р	Р	

#### **NOTES:**

- (1) Ground floor commercial may be required in certain locations as shown in the city center design standards in BMC 20.25.040(C).
- (2) Permitted when located in a main building(s) on a site existing as of September 23, 2014.
- **(3)** Permitted when in conjunction with other permitted uses, provided the residential use is located on or above the 2nd floor.
- **(4)** Permitted on corner lots. The gross floor area of a corner store may not exceed 3,000 square feet unless approved by a conditional use permit. A corner store may not be approved within 600 feet of another corner store.
- **(5)** The "work" component in live/work is limited to those permitted and conditional uses listed under the applicable zoning subarea in Table 20.37.520.
- **(6)** When entirely enclosed within a structure.
- (7) The manufacture, compounding, processing, refining, and treatment of significant quantities of the following materials, products or operations is prohibited. For the purpose of this section "significant quantities" consists of a barrel or more at a single time. Acetylene, asphalt and tar, brick, tile, terra cotta, concrete, cement, lime, gypsum, and plaster of Paris, fats, oils and soap, fertilizer, garbage, offal, bones, and the reduction of dead animals, forging or smeltering of metal, lampblack, stove and shoe polish, lumber and planing mills, oilcloth and linoleum, paint, shellac, turpentine, lacquer and varnish, paper and pulp, petroleum processing and storage, any explosive or highly inflammable material, slaughtering and processing of meat or fish products, tannery and curing of raw hides, chemicals such as acid, ammonia, bleach, chlorine, dye stuff, glue, gelatin and size, automotive wrecking, or junk yards.
- (8) Permitted when in conjunction with retail sales of the same product on site.

- **(9)** Permitted when the floor area is less than 50 percent of the floor area of other permitted use(s) on site.
- **(10)** Excluding the storage and handling of explosives, ammonia, chlorine, and any other similarly dangerous or toxic substances.
- (11) Conditional except for those uses permitted in (D)(9) above.
- (12) Permitted as shared parking pursuant to BMC 20.37.540(D)(2)(e).
- (13) Exclusive of storage yards.

[Ord. 2018-11-024 § 15; Ord. 2018-10-019 § 13; Ord. 2018-05-009 § 22; Ord. 2014-09-049 § 52 (Exh. F)].

#### 20.37.530 Downtown district urban village - Development regulations.

- A. *Applicability*. The regulations of this section shall apply to the development of any principal and/or accessory use within any area in the downtown district except as follows:
  - 1. Residential Transition Areas. Development in residential transition areas shall comply with Chapter 20.28 BMC, Infill Housing, Chapter 20.30 BMC, Residential Single Development, or Chapter 20.32 BMC, Residential Multi Development, for corresponding development unless specified otherwise herein. Nonresidential uses shall comply with Chapter 20.32 BMC, Residential Multi Development, unless specified otherwise herein.
  - 2. *Industrial Transition Area.* Development in the industrial transition area shall comply with Chapter 20.36 BMC, Industrial Development, unless specified otherwise herein.
- B. *Design Review*. See Chapters <u>20.25</u> and <u>21.10</u> BMC for applicable design review areas, standards, and procedures. Nonresidential uses located in residential transition areas shall be considered "mixed uses" for purposes of applying design review standards and procedures.

Table 20.37.530 - Standard Development Regulations

Barrel and a second	Area						
Development Regulations	Commercial (CC and CT)	Residential (RT-1 and 2)			Industrial (IT)		
Applicable Development Regulations	BMC <u>20.37.500</u> through <u>20.37.560</u>	Chapter <u>20.28</u> BMC, Infill Housing	Chapter 20.30 BMC, Residential Single Development	Chapter 20.32 BMC, Residential Multi Development	Chapter 20.36 BMC, Industrial Development		
Minimum lot size	None	(1)	None	None	None		

**Table 20.37.530 - Standard Development Regulations** 

_	Area					
Development Regulations	Commercial (CC and CT)	Residential (RT-1 and 2)			Industrial (IT)	
Maximum Density	None	RT1: None RT2: 1,500 sq.ft. per unit	RT1: None RT2: 1,500 sq.ft. per unit	RT1: None RT2: 1,500 sq.ft. per unit	None	
Setbacks from property lines	None (4)(7)	(1)	(2)	RT-1: None RT-2: (3)	None (7)	
Maximum Height	CC: None (4)(7) CT: 65' (4)(5)(6)(7)	(1)	(2)	RT-1: (3) RT-2: 35' under BMC 20.08.020, height definition No. 1, or 25' under height definition No. 2	None (7)	
Lot Coverage	None	(1)	(2)	RT-1: None RT-2: (3)	None	
Open Space	None	(1)	(2)	RT-1: (3)(8)(9) RT-2: (3)(8)(9)	None	
Usable Space	None	(1)	(2)	RT-1: 100 square feet per unit (10) RT-2: (3)	None	

#### **Notes:**

- (1) Subject to Chapter 20.28 BMC, Infill Housing, for corresponding development.
- (2) Subject to Chapter 20.30 BMC, Residential Single Development, for corresponding development.
- **(3)** Subject to Chapter <u>20.32</u> BMC, Residential Multi Development, for corresponding development, including development of commercial and conditional uses.
- **(4)** The maximum height within 15 feet of a property line abutting a residential zone shall be 2 stories and 32 feet.

- (5) Height is measured per height definition No. 1.
- **(6)** A building may be divided into modules and stepped with height measured on a per module basis to respond to topography on sloped property.
- (7) Additional restrictions may apply as specified in the Shoreline Management Program.
- **(8)** Open space may be reduced to 10% when development or change of use on a property will include a commercial use, or when the developed residential density on site will exceed one unit per 1,500 square feet of land.
- **(9)** Open space may alternatively be satisfied by achieving a green area factor (green factor) score of at least 0.3 in accordance with BMC 20.12.030(E).
- (10) See BMC 20.32.040(F)(1)(b) and (c) for minimum dimensional requirements.

[Ord. 2014-09-049 § 52 (Exh. F)].

#### 20.37.540 Downtown district urban village - Parking.

#### A. Applicability.

- 1. The regulations of this section shall apply to the development of any principal and/or accessory use within any area in the downtown district. All parking standards in Chapter 20.12 BMC concerning general provisions, design provisions and improvement standards shall apply except as provided herein.
- 2. Off-street parking in accordance with the provisions herein shall be provided whenever:
  - a. A main building is constructed or relocated upon another lot; or
  - b. The cost of interior alteration or repair within any 12-month period exceeds 50 percent of the actual valuation.
- 3. Buildings existing as of September 23, 2014, are exempt from the requirement to provide additional parking due to a use change.
- 4. The planning and community development director shall have the authority to waive parking requirements when consistent with an area-wide parking plan and/or district pursuant to BMC 20.12.010(A).
- 5. The planning and community development director may exempt existing buildings listed on the local, state or national register of historic places from required parking for a one-time floor area expansion; provided, that (a) the floor area expansion is limited to an area no greater than 10 percent of the area of the existing building, and (b) existing conforming parking on site shall not be displaced. Exception: If the listed historic building provides 10 percent or less of the on-site parking that would be required for an equivalent new building, the planning and community development director may allow displacement of some or all of the on-site parking.

- 6. The creation of new improved on-street parking that abuts a project site may count toward on-site parking requirements when the new street parking will increase the supply of improved on-street public parking. The parking and street design are subject to public works department approval.
- B. Uses shall provide parking as follows:
  - 1. Uses in the downtown exempt parking district as shown on Figure 20.37.510 are exempt from parking requirements.
  - 2. Uses in all other areas shall provide parking as shown on Table 20.37.540(A). Fractions are rounded up to the next whole number.
  - 3. If a use is not readily classified within the zoning classifications, then the planning and community development director shall determine the standards which shall be applied.

Table 20.37.540(A) -	<b>Minimum Parking Requirements</b>
----------------------	-------------------------------------

Use	Minimum Parking Requirements
Residential	<ul> <li>0.5 space for each studio unit.</li> <li>0.75 space for each 1-bedroom unit.</li> <li>1.00 space for each 2- and 3-bedroom unit.</li> <li>0.5 additional space for each bedroom over 3 per unit.</li> </ul>
Commercial and Institutional	1 space per 500 SF of gross floor area used for offices, retail, services, eating and drinking establishments, cultural or education facilities and similar uses.
Industrial and Manufacturing	1 space per 5,000 square feet of gross floor area or 1 per 2 employees (working at the same time) whichever is greater.
Warehousing and Wholesale	1 space for every 20,000 square feet of gross floor area or 1 per 2 employees (working at the same time) whichever is greater.

- C. *Unbundled Parking.* Unbundled parking means that the parking required of a project is not assigned to building space; it is sold or leased separately.
  - 1. *Purpose.* To make more efficient use of parking that is required of a project but not otherwise used or needed by tenants of the project. Taking into account that the parking required of a project represents the parking demand added to the general vicinity, this parking can then be made available to any on- or off-site use, on a fee or lease basis, to provide more opportunities to satisfy the local parking demand.
  - 2. *Applicability*. Required parking for a project may be unbundled for uses within the project. The use of unbundled parking by off-site uses is allowed only in commercial and industrial zones.

- D. Shared Parking. Shared parking means that parking spaces are shared by more than one user or business that has different parking demand patterns. In these situations, shared parking strategies will result in fewer total parking spaces needed when compared to the total number of spaces needed for each land use or business separately.
  - 1. *Purpose.* To efficiently utilize parking resources where the potential for shared parking provisions with adjacent land uses has been analyzed and found to be appropriate.
  - 2. The amount of off-street parking required by this article may be reduced by an amount determined by the planning and community development director when shared parking facilities for two or more uses are proposed; provided, that the requirements stated in BMC 20.12.010(A)(6) are met.
    - a. Shared parking shall be unbundled as necessary to ensure the adequacy of parking for the anticipated uses. This may require that parking is not assigned or dedicated. All spaces that are to be assigned or dedicated shall be shown/evaluated in a shared parking demand study. Unbundled parking may be leased to off-site uses that are not a party to the shared parking agreement.
- E. *Parking Reduction Allowed.* The planning and community development director may administratively reduce parking for uses that are inherently less auto dependent, and for mitigation provided in lieu of the parking reduction. Mitigation may be accomplished through adoption of a program, fee-in-lieu, and installation of infrastructure that promotes use of alternative transportation and less auto dependence. Such uses, programs or infrastructure improvements may include, but are not limited to: senior and affordable housing, implementation of a shared car service (i.e., Zipcar™), enhanced bike storage facilities, purchase of WTA transit passes through the urban village trip reduction credits (BMC 19.06.040(E) Table 19.06.040(B)), installation of covered transit shelters where approved by the Whatcom Transportation Authority and public works department, and off-site pedestrian infrastructure improvements. The applicant must demonstrate, to the satisfaction of the director, how the proposed mitigation will be adequate and proportionate to the requested parking reduction. Parking reductions authorized by this subsection cannot be combined with those allowed in BMC 20.12.010(A)(5).

#### F. Parking Design.

1. *Industrial and Commercial Areas*. Parking design shall comply with the city center design standards for setbacks and buffers.

#### G. Bike Parking.

- 1. *Purpose.* Bicycle parking is required for certain use categories to encourage the use of bicycles by providing safe and convenient places to park bicycles. These regulations ensure adequate short and long-term bicycle parking based on the demand generated by the different use categories and on the level of security necessary to encourage the use of bicycles for short and long stays.
- 2. Number of Spaces Required.
  - a. The required minimum number of bicycle parking spaces is shown on Table 20.37.540(B). No bicycle parking is required for uses not listed.

- b. Bicycle parking is required for:
  - When the previous use on site was nonconforming to bicycle parking;
  - ii. A change of use, including change of tenants when they are the same use; and
  - iii. Exception: The planning and community development director may reduce or waive long-term bicycle parking for subsections (G)(2)(b)(i) and (ii) of this section if the applicant proves to the director's satisfaction that because of the design of the existing building, lack of leasable stalls within 300 feet of the site, or other extraordinary situation or condition in connection with a specific piece of property, the provision of the required stalls would involve practical difficulties and cause undue hardship unnecessary to carry out the spirit and intent of this section.
- c. The required minimum number of bicycle parking spaces is based on the primary uses on a site. When there are two or more separate primary uses that operate at the same time on a site, the required bicycle parking for the site is the sum of the required parking for the individual primary uses.

#### 3. Exemptions.

- a. No long-term bicycle parking is required on a site where there is less than 2,500 square feet of gross building area.
- b. No bicycle parking is required for unattended surface parking lots.

Table 20.37.540(B) - Minimum Required Bicycle Parking

Specific Use	Long-term Spaces	Short-term Spaces
1. Multifamily housing	2, or 0.5 per bedroom and studio unit.	2, or 0.05 per bedroom and studio unit.
2. Commercial: Retail Sales and Service, including Eating and Drinking Establishments	2, or 1 per 12,000 sq.ft. of gross floor area.	2, or 1 per 5,000 sq.ft. of gross floor area.
3. Commercial: Office	2, or 1 per 10,000 sq.ft. of gross floor area.	2, or 1 per 20,000 sq.ft. of gross floor area.
4. Commercial: Off-street parking lots and garages available to the general public without charge or on a fee basis	2, or 1 per 20 automobile spaces.	6, or 1 for each 20 automobile spaces.

Note: Wherever this table indicates two numerical standards, such as "2, or 1 per 5,000 sq.ft. of gross floor area," the larger number applies. Fractions of 0.5 or greater are rounded up to the next whole number.

- 4. Bicycle Parking Standards.
  - a. Short-Term Bicycle Parking.
    - i. *Purpose.* Short-term bicycle parking encourages shoppers, customers, messengers, and other visitors to use bicycles by providing a convenient and readily accessible place to park bicycles. Short-term bicycle parking should serve the main entrance of a building and should be visible to pedestrians and bicyclists.
    - ii. Standards.
      - (A) Required short-term bicycle parking shall be located:
        - 1 Outside a building;
        - 2 At the same grade as the sidewalk or at a location that can be reached by an accessible route; and
        - 3 Within 50 feet of the main entrance to the building as measured along the most direct pedestrian access route. For sites that have more than one primary building, the bicycle parking shall be within 50 feet of a main entrance as measured along the most direct pedestrian access route, and shall be distributed to serve all primary buildings.
      - (B) Short-term bike parking may be located within the public right-of-way provided the location and design are approved by the public works department.
  - b. Long-Term Bicycle Parking.
    - i. *Purpose.* Long-term bicycle parking provides employees, residents, commuters and others who generally stay at a site for several hours, a secure and weather-protected place to park bicycles. Although long-term parking does not have to be provided on-site, the intent of these standards is to allow bicycle parking to be within a reasonable distance in order to encourage bicycle use.
    - ii. Standards. Required long-term bicycle parking shall be:
      - (A) Provided in racks or lockers that meet the standards of subsection (G)(4)(c) of this section;
      - (B) Located on the site or in an area where the closest point is within 300 feet of the site;
      - (C) Covered. At least 50 percent of required long-term bicycle parking shall be covered and meet the standards of subsection (G)(4)(c)(v) of this section (Covered Bicycle Parking); and
      - (D) *Secured.* To provide security, long-term bicycle parking shall be in at least one of the following locations:
        - 1 In a locked room;
        - 2 In an area that is enclosed by a fence with a locked gate. The fence shall be either eight feet high, or be floor-to-ceiling;

- 3 Within view of an attendant or security guard;
- 4 In an area that is monitored by a security camera; or
- 5 In an area that is visible from employee work areas.
- c. Standards for All Bicycle Parking.
  - i. *Purpose*. These standards ensure that required bicycle parking is designed so that bicycles may be securely locked without undue inconvenience and will be reasonably safeguarded from intentional or accidental damage.
  - ii. *Bicycle Lockers.* Where required bicycle parking is provided in lockers, the lockers shall be securely anchored.
  - iii. *Bicycle Racks.* Required bicycle parking may be provided in floor, wall, or ceiling racks. Where required bicycle parking is provided in racks, the racks shall meet the following standards:
    - (A) The bicycle frame and one wheel can be locked to the rack with a high security, U-shaped shackle lock if both wheels are left on the bicycle;
    - (B) A bicycle six feet long can be securely held with its frame supported so that the bicycle cannot be pushed or fall in a manner that will damage the wheels or components; and
    - (C) The rack shall be securely anchored.
  - iv. Parking and Maneuvering Areas.
    - (A) Each required bicycle parking space shall be accessible without moving another bicycle;
    - (B) There shall be an aisle at least five feet wide behind all required bicycle parking to allow room for bicycle maneuvering. Where the bicycle parking is adjacent to a sidewalk, the maneuvering area may extend into the right-of-way; and
    - (C) The area devoted to bicycle parking shall be hard surfaced.
  - v. *Covered Bicycle Parking*. Covered bicycle parking, as required by this section, can be provided inside buildings, under roof overhangs or awnings, in bicycle lockers, or within or under other structures. Where required covered bicycle parking is not within a building or locker, the cover shall be:
    - (A) Permanent;
    - (B) Designed to protect the bicycle from rainfall; and
    - (C) At least seven feet above the floor or ground.

vi. *Signs.* If required bicycle parking is not visible from the street or main building entrance, a sign shall be posted at the main building entrance indicating the location of the parking. [Ord. 2017-03-009 § 37; Ord. 2014-09-049 § 52 (Exh. F)].

#### 20.37.550 Downtown district urban village - Landscaping.

- A. *Applicability*. The regulations of this section shall apply to the development of any principal and/or accessory use within any area in the downtown district except as follows:
  - 1. Development in residential transition areas shall comply with Chapter <u>20.28</u> BMC, Infill Housing, Chapter <u>20.30</u> BMC, Residential Single Development, or Chapter <u>20.32</u> BMC, Residential Multi Development, for corresponding development.
- B. *Standards*. All landscaping provided to meet requirements under this section must meet the standards herein to ensure the long-term health, viability and coverage of plantings. The planning and community development director may establish standards relating matters including, but not limited to, the type and size of plants, number of plants, concentration of plants, depths of soil, use of low-water use plants, and access to light, water, and air for plants.
  - 1. Development shall provide landscaping in accordance with BMC  $\underline{20.12.030}$  except as provided herein. [Ord. 2014-09-049 § 52 (Exh. F)].

#### 20.37.560 Downtown district urban village – Signs.

- A. General Provisions. No sign shall be permitted unless it complies with the provisions herein.
- B. *Applicability*. The regulations of this section shall apply to the development of any principal and/or accessory use within any area in the downtown district except as follows:
  - 1. Residential Transition Areas. Development in residential transition areas shall comply with Chapter  $\underline{20.28}$  BMC, Infill Housing, Chapter  $\underline{20.30}$  BMC, Residential Single Development, or Chapter  $\underline{20.32}$  BMC, Residential Multi Development, for corresponding development. Nonresidential uses shall comply with Chapter  $\underline{20.32}$  BMC, Residential Multi Development, unless specified otherwise herein.
  - 2. *Industrial Transition Area.* Development in the industrial transition area shall comply with Chapter 20.36 BMC, Industrial Development, having a "light" industrial use qualifier.
  - 3. Commercial Areas. Development in commercial areas shall comply with subsection (D) of this section.
  - 4. Billboards are permitted in the billboard overlay zones when in accord with the provisions of this code.
  - 5. Properties within the jurisdiction of the shoreline master program are also regulated by the sign standards as defined in the shoreline master program. Where conflicts arise, the more restrictive standards apply.

- C. Exemptions. The following signs shall be exempt from the provisions of this title:
  - 1. Traffic signs installed by a government agency.
  - 2. Directional, wayfinding program signs installed by a government agency if the signs are consistent with the provisions of the downtown plan.
  - 3. Tenant panel and directory signs when located within a recessed entry.
  - 4. Interior signs including those painted on the interior of glass windows.
  - 5. Specific service signage as defined herein shall be permitted on the public right-of-way consistent with the policies and approval of the public works department.
  - 6. Building identification signs or cornerstones are permitted as an integral and architecturally compatible part of the building or structure. Cornerstones shall not exceed four square feet and building identification signs shall not exceed 32 square feet. These exemptions shall not contain any colors, words, letters, numbers, symbols, graphic designs, logos or trademarks for the purpose of identifying a good, service, product, or establishment.

#### 7. Directional Signs.

- a. Directional signs are limited to six square feet per sign face and three feet in height if freestanding.
- b. The message shall not contain the name of the establishment or advertising of any kind. Examples of directional signs include: "Enter," "Service Entrance," "No Parking," etc.
- c. There is no limit on the number of directional signs.

#### D. Standards for Commercial Areas.

- 1. Pole signs and off-premises signs are prohibited.
- 2. No lighted signs shall be permitted on building walls facing a residentially zoned area when the property whereon the sign is located abuts a residential zoned area.
- 3. One freestanding monument sign is permitted at each main entrance. The determination of whether an entrance functions as a main entrance shall be made by the planning and community development director. Monument signs shall not exceed 60 square feet per face nor six feet in height measured from existing grade. Said sign may be lighted but the message shall be limited to the name of the complex and its occupants, with the exception that if a gasoline station is represented on the sign, the sign may contain gasoline price information.
- 4. Building mounted signs extending over the street right-of-way shall comply with the International Building Code and the requirements of the public works department.
- 5. Temporary building signs shall not exceed 32 square feet.

6. Real estate signs are limited to one sign per street frontage, shall be unlighted, and shall not exceed 32 square feet. [Ord. 2014-09-049 § 52 (Exh. F)].

#### The Bellingham Municipal Code is current through Ordinance 2019-06-021, passed June 3, 2019.

Disclaimer: The City Clerk Representative has the official version of the Bellingham Municipal Code. Users should contact the City Clerk Representative for ordinances passed subsequent to the ordinance cited above.

City Website: www.cob.org
City Telephone: (360) 778-8000
Code Publishing Company



1126 N Forest St, Bellingham, Washington, 98225 Ring: 1 mile radius

Prepared by Esri Latitude: 48.74652 Longitude: -122.47779

Summary	Cei	nsus 2010		2019		
Population		15,257		17,113		1
Households		6,059		6,947		
Families		1,639		1,842		
Average Household Size		1.94		1.95		
Owner Occupied Housing Units		1,620		1,891		
Renter Occupied Housing Units		4,439		5,056		
Median Age		24.4		25.0		
Trends: 2019 - 2024 Annual Rate		Area		State		Na
Population		1.24%		1.31%		
Households		1.51%		1.29%		
Families		1.37%		1.24%		
Owner HHs		1.83%		1.56%		
Median Household Income		2.41%		2.91%		
		2270	20	19	20	024
Households by Income			Number	Percent	Number	<b>Б</b> Т.
<\$15,000			1,557	22.4%	1,535	Г
\$15,000 \$15,000 - \$24,999			996	14.3%	965	
\$25,000 - \$24,999			840	12.1%	827	
\$35,000 - \$34,999 \$35,000 - \$49,999			837	12.1%	929	
\$55,000 - \$49,999 \$50,000 - \$74,999			1,236	17.8%	1,414	
\$75,000 - \$74,555			381	5.5%	449	
\$100,000 - \$149,999			602	8.7%	688	
\$150,000 - \$199,999			325	4.7%	472	
\$200,000+			173	2.5%	210	
Median Household Income			\$36,081		\$40,635	
Average Household Income			\$55,963		\$63,250	
Per Capita Income			\$22,518		\$25,662	
	Census 20	10	20	19	20	024
Population by Age	Number	Percent	Number	Percent	Number	F
0 - 4	368	2.4%	386	2.3%	429	
5 - 9	324	2.1%	352	2.1%	382	
10 - 14	294	1.9%	311	1.8%	337	
15 - 19	2,571	16.9%	2,603	15.2%	2,657	
20 - 24	4,669	30.6%	4,952	28.9%	5,100	
25 - 34	2,508	16.4%	3,051	17.8%	3,155	
35 - 44	1,271	8.3%	1,425	8.3%	1,652	
45 - 54	1,145	7.5%	1,181	6.9%	1,225	
55 - 64	1,056	6.9%	1,305	7.6%	1,356	
65 - 74	478	3.1%	779	4.6%	916	
75 - 84	337	2.2%	443	2.6%	615	
85+	235	1.5%	326	1.9%	378	
551	Census 20		2019		378 <b>2024</b>	
Race and Ethnicity	Number	Percent	Number	Percent	Number	F
White Alone	13,118	86.0%	14,230	83.1%	14,821	
Black Alone	250	1.6%	346	2.0%	412	
American Indian Alone	285	1.9%	340	2.0%	372	
Asian Alone	582	3.8%	828	4.8%	981	
Pacific Islander Alone	24	0.2%	27	0.2%	31	
Some Other Race Alone	255	1.7%	354	2.1%	422	
Two or More Races	743	4.9%	990	5.8%	1,165	
Hispanic Origin (Any Race)	919	6.0%	1,308	7.6%	1,596	

October 17, 2019

©2019 Esri Page 1 of 6


**Source:** U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2019 and 2024.




1126 N Forest St, Bellingham, Washington, 98225 Ring: 1 mile radius

Prepared by Esri Latitude: 48.74652 Longitude: -122.47779







#### Population by Age



#### 2019 Household Income



#### 2019 Population by Race



2019 Percent Hispanic Origin: 7.6%

Source: U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2019 and 2024.

©2019 Esri Page 2 of 6



1126 N Forest St, Bellingham, Washington, 98225 Ring: 3 mile radius

Prepared by Esri Latitude: 48.74652 Longitude: -122.47779

Summary	Cer	sus 2010		2019		202
Population		72,295		80,679		85,6
Households		30,608		34,110		36,2
Families		14,083		15,525		16,4
Average Household Size		2.20		2.21		2.
Owner Occupied Housing Units		13,853		15,771		17,1
Renter Occupied Housing Units		16,754		18,339		19,0
Median Age		30.6		32.9		34
Trends: 2019 - 2024 Annual Rate		Area		State		Nation
Population		1.20%		1.31%		0.77
Households		1.22%		1.29%		0.75
Families		1.15%		1.24%		0.68
Owner HHs		1.68%		1.56%		0.92
Median Household Income		2.49%		2.91%		2.70
			20	19	20	24
Households by Income			Number	Percent	Number	Perce
<\$15,000			4,983	14.6%	4,626	12.8
\$15,000 - \$24,999			3,475	10.2%	3,111	8.6
\$25,000 - \$34,999			3,611	10.6%	3,284	9.
\$35,000 - \$49,999			4,487	13.2%	4,449	12.3
\$50,000 - \$74,999			5,964	17.5%	6,371	17.6
\$75,000 - \$99,999			3,456	10.1%	3,991	11.0
\$100,000 - \$149,999			4,288	12.6%	5,112	14.
\$150,000 - \$199,999			2,316	6.8%	3,311	9.3
\$200,000+			1,530	4.5%	1,986	5.!
Median Household Income			\$51,428		\$58,156	
Average Household Income			\$73,739		\$85,598	
Per Capita Income			\$31,327		\$36,335	
	Census 20	10	20	19	20	24
Population by Age	Number	Percent	Number	Percent	Number	Perc
0 - 4	3,220	4.5%	3,304	4.1%	3,551	4.3
5 - 9	3,056	4.2%	3,257	4.0%	3,415	4.0
10 - 14	2,995	4.1%	3,136	3.9%	3,294	3.8
15 - 19	6,748	9.3%	6,728	8.3%	6,860	8.0
20 - 24	13,134	18.2%	12,722	15.8%	13,076	15.
25 - 34	10,932	15.1%	13,741	17.0%	13,515	15.8
35 - 44	7,795	10.8%	8,676	10.8%	10,294	12.0
45 - 54	7,944	11.0%	7,983	9.9%	8,140	9.
55 - 64	8,063	11.2%	8,700	10.8%	8,854	10.3
65 - 74	4,076	5.6%	7,077	8.8%	7,800	9.:
75 - 84	2,702	3.7%	3,398	4.2%	4,751	5.5
85+	1,630	2.3%	1,958	2.4%	2,101	2.5
03+		10	2019		2024	
03+	Census 20			<u> </u>	Number	Perc
Race and Ethnicity	Census 20 Number	Percent	Number	Percent		
			Number 66,750	82.7%	69,216	80.8
Race and Ethnicity	Number	Percent				
Race and Ethnicity White Alone	Number 62,001	Percent 85.8%	66,750	82.7%	69,216	80.8 1.8 1.4
Race and Ethnicity White Alone Black Alone	Number 62,001 962	Percent 85.8% 1.3%	66,750 1,294	82.7% 1.6%	69,216 1,528	1.8
Race and Ethnicity White Alone Black Alone American Indian Alone	Number 62,001 962 996	Percent 85.8% 1.3% 1.4%	66,750 1,294 1,135	82.7% 1.6% 1.4%	69,216 1,528 1,228	1.8 1.4
Race and Ethnicity White Alone Black Alone American Indian Alone Asian Alone	Number 62,001 962 996 3,227	Percent 85.8% 1.3% 1.4% 4.5%	66,750 1,294 1,135 4,652	82.7% 1.6% 1.4% 5.8%	69,216 1,528 1,228 5,586	1.8 1.4 6.5
Race and Ethnicity White Alone Black Alone American Indian Alone Asian Alone Pacific Islander Alone	Number 62,001 962 996 3,227 160	Percent 85.8% 1.3% 1.4% 4.5% 0.2%	66,750 1,294 1,135 4,652 184	82.7% 1.6% 1.4% 5.8% 0.2%	69,216 1,528 1,228 5,586 207	1.4 6.1 0.3
Race and Ethnicity White Alone Black Alone American Indian Alone Asian Alone Pacific Islander Alone Some Other Race Alone	Number 62,001 962 996 3,227 160 1,868	Percent 85.8% 1.3% 1.4% 4.5% 0.2% 2.6%	66,750 1,294 1,135 4,652 184 2,566	82.7% 1.6% 1.4% 5.8% 0.2% 3.2%	69,216 1,528 1,228 5,586 207 3,050	1.8 1.4 6.5 0.2

**Source:** U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2019 and 2024.


©2019 Esri Page 3 of 6




1126 N Forest St, Bellingham, Washington, 98225 Ring: 3 mile radius

Prepared by Esri Latitude: 48.74652 Longitude: -122.47779







#### Population by Age



#### 2019 Household Income



#### 2019 Population by Race



2019 Percent Hispanic Origin: 8.5%

Source: U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2019 and 2024.

©2019 Esri Page 4 of 6



1126 N Forest St, Bellingham, Washington, 98225 Ring: 5 mile radius

Prepared by Esri Latitude: 48.74652 Longitude: -122.47779

Summary	Cen	sus 2010		2019		202	
Population		96,092		107,528		114,43	
Households		40,683		45,312		48,2	
Families		20,436		22,525		23,8	
Average Household Size		2.23		2.25		2.	
Owner Occupied Housing Units		20,383		23,151		25,1	
Renter Occupied Housing Units		20,300		22,161		23,1	
Median Age		33.0		34.8		36	
Trends: 2019 - 2024 Annual Rate		Area		State		Nation	
Population		1.25%		1.31%		0.77	
Households		1.25%		1.29%		0.75	
Families		1.18%		1.24%		0.68	
Owner HHs		1.64%		1.56%		0.92	
Median Household Income		2.87%		2.91%		2.70	
			20	19	20	24	
Households by Income			Number	Percent	Number	Perce	
<\$15,000			6,173	13.6%	5,633	11.7	
\$15,000 - \$24,999			4,305	9.5%	3,802	7.9	
\$25,000 - \$34,999			4,265	9.4%	3,852	8.0	
\$35,000 - \$49,999			5,646	12.5%	5,520	11.4	
\$50,000 - \$74,999			7,851	17.3%	8,294	17.2	
\$75,000 - \$99,999			4,763	10.5%	5,434	11.3	
\$100,000 - \$149,999			6,621	14.6%	7,774	16.1	
\$150,000 - \$199,999			3,381	7.5%	4,817	10.0	
\$200,000+			2,307	5.1%	3,101	6.4	
Median Household Income			\$55,380		\$63,787		
Average Household Income			\$78,652		\$91,863		
Per Capita Income			\$33,238		\$38,780		
	Census 20	10	20	19	20	24	
Population by Age	Number	Percent	Number	Percent	Number	Perc	
0 - 4	4,573	4.8%	4,684	4.4%	5,012	4.4	
5 - 9	4,400	4.6%	4,681	4.4%	4,908	4.3	
10 - 14	4,416	4.6%	4,587	4.3%	4,837	4.:	
15 - 19	8,219	8.6%	8,129	7.6%	8,316	7.3	
20 - 24	14,745	15.3%	14,330	13.3%	14,662	12.8	
25 - 34	14,083	14.7%	17,643	16.4%	17,405	15.2	
35 - 44	10,684	11.1%	11,930	11.1%	14,128	12.3	
45 - 54	11,309	11.8%	11,188	10.4%	11,468	10.0	
55 - 64	11,453	11.9%	12,356	11.5%	12,483	10.9	
65 - 74	6,048	6.3%	10,293	9.6%	11,355	9.9	
75 - 84	3,947	4.1%	4,991	4.6%	6,940	6.	
0.5	2,214	2.3%	2,716	2.5%	2,919	2.6	
85+		Census 2010			20	2024	
85+	Census 20			Danasat	Number	Perce	
	Census 20 Number	Percent	Number	Percent			
			Number 88,552	82.4%	91,963	80.4	
Race and Ethnicity	Number	Percent			91,963 1,924	80.4 1.7	
Race and Ethnicity White Alone	Number 82,114	Percent 85.5%	88,552	82.4%			
Race and Ethnicity White Alone Black Alone	Number 82,114 1,206	Percent 85.5% 1.3%	88,552 1,626	82.4% 1.5%	1,924	1.7	
Race and Ethnicity White Alone Black Alone American Indian Alone	Number 82,114 1,206 1,304	Percent 85.5% 1.3% 1.4%	88,552 1,626 1,489	82.4% 1.5% 1.4%	1,924 1,612	1.7 1.4	
Race and Ethnicity White Alone Black Alone American Indian Alone Asian Alone	Number 82,114 1,206 1,304 4,670	Percent 85.5% 1.3% 1.4% 4.9%	88,552 1,626 1,489 6,724	82.4% 1.5% 1.4% 6.3%	1,924 1,612 8,112	1.7 1.4 7.1	
Race and Ethnicity White Alone Black Alone American Indian Alone Asian Alone Pacific Islander Alone	Number 82,114 1,206 1,304 4,670 245	Percent 85.5% 1.3% 1.4% 4.9% 0.3%	88,552 1,626 1,489 6,724 285	82.4% 1.5% 1.4% 6.3% 0.3%	1,924 1,612 8,112 322	1. 1. 7. 0.	
Race and Ethnicity White Alone Black Alone American Indian Alone Asian Alone Pacific Islander Alone Some Other Race Alone	Number 82,114 1,206 1,304 4,670 245 2,553	Percent 85.5% 1.3% 1.4% 4.9% 0.3% 2.7%	88,552 1,626 1,489 6,724 285 3,528	82.4% 1.5% 1.4% 6.3% 0.3% 3.3%	1,924 1,612 8,112 322 4,205	1. 1. 7. 0.	

**Source:** U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2019 and 2024.


©2019 Esri Page 5 of 6




1126 N Forest St, Bellingham, Washington, 98225 Ring: 5 mile radius

Prepared by Esri Latitude: 48.74652 Longitude: -122.47779







#### Population by Age



#### 2019 Household Income



#### 2019 Population by Race



2019 Percent Hispanic Origin: 8.5%

Source: U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2019 and 2024.


©2019 Esri Page 6 of 6



# Traffic Count Map - Close Up

1126 N Forest St, Bellingham, Washington, 98225 Rings: 1, 3, 5 mile radii

Prepared by Esri Latitude: 48.74652





Source: ©2019 Kalibrate Technologies (Q2 2019).

Average Daily Traffic Volume

Up to 6,000 vehicles per day

▲6,001 - 15,000

**▲ 15,001 - 30,000** 

▲30,001 - 50,000

▲ 50,001 - 100,000

▲More than 100,000 per day



October 17, 2019